

## 檢測報告

18-0925-014-01-4

第1頁, 共6頁

中華海洋生技股份有限公司

樣品名稱：藻衡糖 plus+

收樣日期：2018/09/25

樣品資訊：有效日期:2020.08.22

檢驗日期：2018/09/25 ~ 2018/10/09

樣品狀態：完整包裝

報告日期：2018/10/09

檢測委託單位：中華海洋生技股份有限公司

檢測委託單位地址：22101 新北市汐止區新台五路一段 81 號 12 樓之 3

檢測項目	結果	定量/偵測極限
西藥成分 336 項	陰性 (未檢出)	如附表

~~~~以下空白~~~~

### 檢測方法：

#### 1. 西藥成分 336 項：

衛生福利部食品藥物管理署 2014 年 2 月 17 日發布建議檢驗方法 TFDAO0015.01 中藥及食品中摻加西藥之檢驗方法

報告簽署人



1. 本測試未涉及檢體抽樣、測試樣品及相關資訊係由委託給驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

18-0925-014-01-4  
中華海洋生技股份有限公司

第2頁, 共6頁

樣品照片：



- 1 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 2 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 3 本報告經塗改者無效；本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 4 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

# 檢測報告

**18-0925-014-01-4**

第3頁, 共6頁

**中華海洋生技股份有限公司**

附表

| 序號         | 分析項目<br>(依英文名稱排序)                                                                                  | MDL<br>(ppm) | 序號   | 分析項目<br>(依英文名稱排序)                     | MDL<br>(ppm) | 序號      | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) |
|------------|----------------------------------------------------------------------------------------------------|--------------|------|---------------------------------------|--------------|---------|-------------------|--------------|
| 睪腎滋養類(壯陽類) |                                                                                                    |              | 減肥藥  |                                       |              | 68      | Prednisolone      | 100          |
| 1          | 7-Ketodehydroepiandrosterone                                                                       | 200          | 35   | 2,4-Dinitrophenol                     | 600          | 69      | Prednisone        | 200          |
| 2          | Acetil acid                                                                                        | 200          | 36   | Cetilistat                            | 200          | 70      | Triamcinolone     | 400          |
| 3          | Acetilildenafil                                                                                    | 400          | 37   | Clobenzorex                           | 100          | 風濕鎮痛類   |                   |              |
| 4          | Acetylvardenafil                                                                                   | 200          | 38   | Diethylpropion                        | 100          | 71      | Carisoprodol      | 100          |
| 5          | Aminotadalafil                                                                                     | 200          | 39   | Fenfluramine                          | 600          | 72      | Chlormezanone     | 200          |
| 6          | Carbodenafil                                                                                       | 600          | 40   | Mazindol                              | 200          | 73      | Chlorzoxazone     | 600          |
| 7          | Chloropretadalafil                                                                                 | 200          | 41   | Mephentermine                         | 200          | 74      | Diclofenac        | 100          |
| 8          | Desmethyl acetildenafil                                                                            | 1000         | 42   | N-Desmethyisibutramine                | 400          | 75      | Flurbiprofen      | 400          |
| 9          | Desmethyl sildenafil                                                                               | 600          | 43   | N-Didesmethyisibutramine              | 400          | 76      | Ketoprofen        | 100          |
| 10         | Dimethylsildenafil                                                                                 | 400          | 44   | Orlistat                              | 100          | 77      | Naproxen          | 200          |
| 11         | Fluoxymesterone                                                                                    | 100          | 45   | Phenolphthalein                       | 100          | 78      | Oxyphenbutazone   | 400          |
| 12         | Gendenafil                                                                                         | 200          | 46   | Phentermine                           | 600          | 79      | Phenylbutazone    | 200          |
| 13         | Homosildenafil                                                                                     | 400          | 47   | Phenylpropanolamine                   | 1000         | 80      | Piroxicam         | 400          |
| 14         | Hydroxyacetildenafil                                                                               | 400          | 48   | Rimonabant                            | 200          | 解熱止痛消炎類 |                   |              |
| 15         | Hydroxyhomosildenafil                                                                              | 400          | 49   | Sibutramine                           | 100          | 81      | Acemetacin        | 200          |
| 16         | Hydroxythiohomosildenafil                                                                          | 400          | 50   | Synephrine                            | 400          | 82      | Acetaminophen     | 200          |
| 17         | Hydroxyvardenafil                                                                                  | 200          | 感冒類  |                                       |              | 83      | Aminopyrine       | 100          |
| 18         | Imidazosagatriazinone                                                                              | 200          | 51   | Becantex                              | 1000         | 84      | Aspirin           | 400          |
| 19         | Methyltestosterone                                                                                 | 100          | 52   | Bromhexine                            | 100          | 85      | Benzylamine       | 200          |
| 20         | N-Desethyl vardenafil                                                                              | 800          | 53   | Carbetapentane                        | 100          | 86      | Bucetin           | 200          |
| 21         | Noracetildenafil                                                                                   | 400          | 54   | Cloperastine                          | 400          | 87      | Bufexamac         | 100          |
| 22         | Norneosildenafil                                                                                   | 1000         | 55   | Dextromethorphan                      | 100          | 88      | Dipyrone          | 400          |
| 23         | Nortadalafil                                                                                       | 200          | 56   | Dyphylline                            | 600          | 89      | Ethoxybenzamide   | 200          |
| 24         | Phentolamine                                                                                       | 200          | 57   | Fenspiride                            | 100          | 90      | Etodolac          | 200          |
| 25         | Pseudovardenafil                                                                                   | 200          | 58   | Guaiacol glyceryl ether (Guaifenesin) | 200          | 91      | Fenbufen          | 200          |
| 26         | Sildenafil                                                                                         | 100          | 59   | Noscapine                             | 200          | 92      | Flufenamic acid   | 200          |
| 27         | Tadalafil                                                                                          | 100          | 60   | Oxeladin                              | 1000         | 93      | Ibuprofen         | 100          |
| 28         | Testosterone                                                                                       | 100          | 61   | Phenylephrine                         | 600          | 94      | Indomethacin      | 200          |
| 29         | Thiodimethylsildenafil                                                                             | 400          | 類固醇類 |                                       |              | 95      | Mefenamic acid    | 200          |
| 30         | Thiohomosildenafil                                                                                 | 200          | 62   | Betamethasone                         | 200          | 96      | Meloxicam         | 600          |
| 31         | Thiosildenafil                                                                                     | 200          | 63   | Betamethasone Dipropionate            | 400          | 97      | Meperidine        | 1000         |
| 32         | Vardenafil                                                                                         | 200          | 64   | Cortisone                             | 200          | 98      | Mepirzole         | 100          |
| 33         | Vardenafil analogue-(2-(2-ethoxy-phenyl)-6-methyl-7-propyl-5H-imidazo[5,1-f]-[1,2,4]triazin-4-one) | 200          | 65   | Dexamethasone                         | 100          | 99      | Methylsalicylate  | 1000         |
|            |                                                                                                    |              | 66   | Hydrocortisone                        | 100          | 100     | Morphine          | 200          |
| 34         | Yohimbine                                                                                          | 100          | 67   | Methylprednisolone                    | 200          | 101     | Nabumetone        | 400          |

- 本測試未涉及抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request and does not judge the legitimacy of the product.

## 檢測報告

# 18-0925-014-01-4

第4頁, 共6頁

### 中華海洋生技股份有限公司

| 序號             | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) | 序號           | 分析項目<br>(依英文名稱排序)      | MDL<br>(ppm) | 序號              | 分析項目<br>(依英文名稱排序)   | MDL<br>(ppm) |
|----------------|-------------------|--------------|--------------|------------------------|--------------|-----------------|---------------------|--------------|
| 102            | Niflumic acid     | 400          | 137          | Scopolamine            | 200          | 172             | Thioctic acid       | 1000         |
| 103            | Pentazocine       | 100          | <b>抗菌解毒類</b> |                        |              | 173             | Tolazamide          | 200          |
| 104            | Phenacetin        | 200          | 138          | Acrinol                | 400          | 174             | Tolbutamide         | 200          |
| 105            | Salicylamide      | 400          | 139          | Chlorhexidine          | 200          | <b>心臟血管用藥類</b>  |                     |              |
| 106            | Sulindac          | 1000         | 140          | Econazole              | 100          | 175             | Adenosine           | 400          |
| <b>氣喘類</b>     |                   |              | 141          | Fluconazole            | 100          | 176             | Amlodipine          | 400          |
| 107            | Aminophylline     | 200          | 142          | Isoniazid              | 200          | 177             | Atenolol            | 1000         |
| 108            | Fenoterol         | 400          | 143          | Nitrofurazone          | 200          | 178             | Atorvastatin        | 100          |
| 109            | Salbutamol        | 200          | 144          | Salicylic acid         | 1000         | 179             | Bezafibrate         | 200          |
| 110            | Terbutaline       | 400          | 145          | Sulfadiazine           | 200          | 180             | Clofibrate          | 100          |
| 111            | Theophylline      | 200          | 146          | Sulfadimethoxine       | 200          | 181             | Digitoxin           | 800          |
| <b>外用局部麻醉類</b> |                   |              | 147          | Sulfaguanidine         | 600          | 182             | Diltiazem           | 200          |
| 112            | Benzocaine        | 100          | 148          | Sulfamerazine          | 100          | 183             | Dipyridamole        | 600          |
| 113            | Dibucaine         | 100          | 149          | Sulfamethazine         | 200          | 184             | Enalapril           | 600          |
| 114            | Lidocaine         | 100          | 150          | Sulfamethoxypyridazine | 100          | 185             | Fenofibrate         | 100          |
| 115            | Procaine          | 100          | 151          | Sulfamonomethoxine     | 600          | 186             | Fluvastatin         | 100          |
| 116            | Tetracaine        | 100          | 152          | Sulfanilamide          | 100          | 187             | Gemfibrozil         | 100          |
| <b>健胃類</b>     |                   |              | 153          | Sulfathiazole          | 200          | 188             | Metoprolol          | 100          |
| 117            | Atropine          | 100          | 154          | Sulfisomidine          | 1000         | 189             | Nicametate          | 1000         |
| 118            | Butropium         | 600          | 155          | Sulfisoxazole          | 400          | 190             | Nicergoline         | 100          |
| 119            | Camylofine        | 100          | 156          | Terbinafine            | 200          | 191             | Nifedipine          | 100          |
| 120            | Cimetidine        | 400          | 157          | Tinidazole             | 400          | 192             | Nylidrin            | 200          |
| 121            | Dicyclomine       | 100          | 158          | Tolnaftate             | 400          | 193             | Pentoxifylline      | 100          |
| 122            | Esomeprazole      | 200          | 159          | Triclosan              | 400          | 194             | Pravastatin         | 400          |
| 123            | Famotidine        | 400          | 160          | Trimethoprim           | 200          | 195             | Prazosin            | 100          |
| 124            | Glycopyrronium    | 100          | <b>瀉劑類</b>   |                        |              | 196             | Propafenone         | 200          |
| 125            | Homatropine       | 100          | 161          | Bisacodyl              | 100          | 197             | Quinidine           | 100          |
| 126            | Lansoprazole      | 400          | <b>糖尿病用藥</b> |                        |              | 198             | Verapamil           | 100          |
| 127            | Metoclopramide    | 200          | 162          | Acetohexamide          | 200          | 199             | Xanthinol Niacinate | 400          |
| 128            | Nifuroxazide      | 400          | 163          | Chlorpropamide         | 200          | <b>抗組胺及抗過敏類</b> |                     |              |
| 129            | Nizatidine        | 400          | 164          | Glibenclamide          | 400          | 200             | Brompheniramine     | 100          |
| 130            | Omeprazole        | 100          | 165          | Gliclazide             | 400          | 201             | Carbinoxamine       | 100          |
| 131            | Oxethazaine       | 400          | 166          | Glipizide              | 200          | 202             | Cetirizine          | 1000         |
| 132            | Oxyphenyclimine   | 100          | 167          | Gliquidone             | 400          | 203             | Chlorpheniramine    | 100          |
| 133            | Pantoprazole      | 1000         | 168          | Metformin              | 400          | 204             | Cyproheptadine      | 180          |
| 134            | Rirenzepine       | 200          | 169          | Phenformin             | 400          | 205             | Diphenhydramine     | 100          |
| 135            | Propantheline     | 100          | 170          | Pioglitazone           | 400          | 206             | Ketotifen           | 100          |
| 136            | Ranitidine        | 200          | 171          | Rosiglitazone          | 200          | 207             | Promethazine        | 100          |

- 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
The report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request and does not judge the legitimacy of the product.

# 檢測報告

**18-0925-014-01-4**

第5頁, 共6頁

中華海洋生技股份有限公司

| 序號             | 分析項目<br>(依英文名稱排序)          | MDL<br>(ppm) | 序號             | 分析項目<br>(依英文名稱排序)             | MDL<br>(ppm) | 序號              | 分析項目<br>(依英文名稱排序)    | MDL<br>(ppm) |
|----------------|----------------------------|--------------|----------------|-------------------------------|--------------|-----------------|----------------------|--------------|
| 208            | Terfenadine                | 1000         | 244            | Reserpine                     | 800          | 278             | Mephesisin           | 1000         |
| 209            | Triprolidine               | 100          | 245            | Spirolactone                  | 100          | 279             | Metharbital          | 200          |
| <b>精神安定類</b>   |                            |              | 246            | Trichlormethiazide            | 400          | 280             | Orphenadrine         | 100          |
| 210            | Amitriptyline              | 100          | <b>動情激素類</b>   |                               |              | 281             | Orphenadrine citrate | 100          |
| 211            | Barbital                   | 400          | 247            | Dehydroepiandrosterone (DHEA) | 200          | 282             | Papaverine           | 100          |
| 212            | Bromisoval                 | 1000         | 248            | Diethylstilbestrol            | 100          | 283             | Pentobarbital        | 400          |
| 213            | Chlordiazepoxide           | 200          | 249            | Estradiol                     | 200          | 284             | Phenobarbital        | 100          |
| 214            | Chlorpromazine             | 100          | 250            | Estriol                       | 200          | 285             | Primidone            | 100          |
| 215            | Clomipramine               | 100          | 251            | Estrone                       | 100          | <b>尿酸痛風類</b>    |                      |              |
| 216            | Diazepam                   | 100          | 252            | Ethinylestradiol              | 200          | 286             | Allopurinol          | 600          |
| 217            | Fluoxetine                 | 100          | 253            | Ethisterone                   | 100          | 287             | Benzbromarone        | 400          |
| 218            | Haloperidol                | 100          | 254            | Hydroxyprogesterone           | 200          | 288             | Colchicine           | 100          |
| 219            | Imipramine                 | 200          | 255            | Medroxyprogesterone acetate   | 200          | 289             | Probenecid           | 200          |
| 220            | Lorazepam                  | 100          | 256            | Norethisterone acetate        | 100          | 290             | Sulfapyrazone        | 100          |
| 221            | Maprotiline                | 200          | 257            | Progesterone                  | 100          | <b>治甲狀腺機能缺陷</b> |                      |              |
| 222            | Melatonin                  | 100          | 258            | Testosterone propionate       | 100          | 291             | Carbimazole          | 400          |
| 223            | Meprobamate                | 100          | <b>泌尿用藥類</b>   |                               |              | 292             | Liothyronine         | 600          |
| 224            | Methaqualone               | 100          | 259            | Flavoxate                     | 100          | 293             | Methimazole          | 400          |
| 225            | Nortriptyline              | 400          | 260            | Nalidixic acid                | 400          | <b>興奮劑類</b>     |                      |              |
| 226            | Oxazolam                   | 200          | 261            | Nitrofurantoin                | 400          | 294             | Amphetamine          | 200          |
| 227            | Prochlorperazine Dimaleate | 1000         | 262            | Norfloracin                   | 600          | 295             | Caffeine             | 100          |
| 228            | Secobarbital               | 100          | 263            | Phenazopyridine               | 400          | 296             | Cocaine              | 100          |
| 229            | Sulpiride                  | 400          | 264            | Sulfamethizole                | 400          | 297             | Methamphetamine      | 600          |
| 230            | Thioridazine               | 100          | <b>賀爾蒙類</b>    |                               |              | 298             | Nicotine             | 100          |
| 231            | Trazodone                  | 200          | 265            | Ethylestrenol                 | 400          | 299             | Strychnine           | 100          |
| 232            | Triazolam                  | 100          | 266            | Etofibrate                    | 100          | 300             | Theobromine          | 400          |
| 233            | Trifluoperazine            | 200          | 267            | Methandriol                   | 200          | <b>抗生素類</b>     |                      |              |
| 234            | Zolpidem                   | 100          | 268            | Methandrostenolone            | 100          | 301             | Amoxicillin          | 200          |
| <b>利尿及降血壓類</b> |                            |              | 269            | Nandrolone                    | 100          | 302             | Cefadroxil           | 800          |
| 235            | Acetazolamide              | 200          | 270            | Norethindrone acetate         | 200          | 303             | Cefazolin            | 1000         |
| 236            | Chlorothiazide             | 400          | 271            | Oxymetholone                  | 100          | 304             | Ceftriaxone          | 1000         |
| 237            | Cinnarizine                | 100          | 272            | Stanozolol                    | 100          | 305             | Cephalexin           | 600          |
| 238            | Furosemide                 | 600          | <b>抗癲癇及鎮痙類</b> |                               |              | 306             | Cephadrine           | 1000         |
| 239            | Hydralazine                | 200          | 273            | Benzhexol                     | 200          | 307             | Chloramphenicol      | 400          |
| 240            | Hydrochlorothiazide        | 800          | 274            | Carbamazepine                 | 100          | 308             | Chlortetracycline    | 200          |
| 241            | Indapamide                 | 400          | 275            | Diphenylhydantoin             | 100          | 309             | Ciprofloxacin        | 500          |
| 242            | Lisinopril                 | 400          | 276            | Ethavone                      | 100          | 310             | Clindamycin          | 200          |
| 243            | Propranolol                | 200          | 277            | Flupropione                   | 400          | 311             | Doxycycline          | 1000         |

- 本測試未涉及驗樣抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析。本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效，本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-0925-014-01-4**

第6頁, 共6頁

中華海洋生技股份有限公司

| 序號  | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) | 序號  | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) | 序號  | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) |
|-----|-------------------|--------------|-----|-------------------|--------------|-----|-------------------|--------------|
| 312 | Erythromycin      | 200          | 321 | Tetracycline      | 600          | 329 | Hydroquinone      | 400          |
| 313 | Griseofulvin      | 100          | 其他類 |                   |              | 330 | Mebendazole       | 400          |
| 314 | Ketoconazole      | 400          | 322 | Apomorphine       | 400          | 331 | Minoxidil         | 100          |
| 315 | Lincomycin        | 600          | 323 | Clopidol          | 400          | 332 | Naltrexone        | 100          |
| 316 | Metronidazole     | 100          | 324 | Dimetridazole     | 1000         | 333 | Nicarbazin        | 400          |
| 317 | Minocycline       | 1000         | 325 | Diphenidol        | 100          | 334 | Quinine           | 200          |
| 318 | Oxytetracycline   | 400          | 326 | Ethopabate        | 100          | 335 | Santonin          | 100          |
| 319 | Rifampicin        | 400          | 327 | Finasteride       | 100          | 336 | Sulfaquinoxaline  | 1000         |
| 320 | Sulfamethoxazole  | 100          | 328 | Glucosamine       | 200          |     |                   |              |

- 本測試未涉及檢驗抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效；本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.